ACOUSTIX POD

All booths should be accessible & All booths should have sprinkler access 🛣








ACOUSTIX POD

Gregory's ACOUSTIX Pod is the first portable acoustic office booth designed specifically for wheelchair access and the only booth compliant with building fire sprinkler requirements.

We understand that your employee's health and safety in the new "normal" COVID-19 environment is a top priority and it's ours too.
ACOUSTIX Pod has a dual fan circular airflow system designed to maximise air exchange rates and to create gentle airflow within the booth. Optional HEPA Filter.

The ACOUSTIX Pod is an innovative Australian Registered Design and manufactured locally and available in your choice of finishes.



*Circular air flow system & fire sprinkler access



Wheelchair access sliding door (DDA)
No imported booth is
compliant with the Disability
Discrimination Act, without
adding a ramp and Fire
Compliance Regulation and are
therefore illegal to install in
multi-storey buildings.

Gregory's ACOUSTIX Pod is wheelchair accessible, utilises a soft close sliding door and has accessible handles for all users.

The ACOUSTIX Pod is the only acoustic booth system designed specifically for use in compliance with building fire sprinkler requirements in multi-storey buildings.

The special roofing design of the ACOUSTIX Pod is designed to enable sprinkler water-flow, without special plumbing.

ACOUSTIX Pod is the only booth with the option to be fitted to the building's air conditioning ducts.



FEATURES	STANDARD	OPTIONAL	IMPORT
Soft touch sliding door for wheelchair access		**	
No step up floor			
Sprinkler permeable ceiling design			
Easy access cabling panels	•		•
Motion activated power			•
LED lighting			•
GPO and USB power			•
AV panel ready	•		
Multi fan circular airflow system			
White board panel			
Customer fabric choices			
Easy clean Acoustix Medipod interior walls		•	
High acoustic rated solid panels			•
Hinged door on single person booth			•
Height adjustable tables or desks			
Clean room			
Integrated ergonomic lounges			
Philips HEPA filter airflow system		•	
Acoustic glass	•		•
Double glazing door noise suppression	•		
Electric door			





Beautiful perforated roof treatment for acoustic control and sprinkler access

FIRE SPRINKLER ACCESSIBLE
Roofing designed to enable sprinkler
water-flow for multi-storey buildings

USABLE WHITEBOARD END PANELS

WINDOW PRIVACY & DECALS OPTIONAL

ACOUSTIC PANELS Walls tested to 27% decibel reduction

OPTION TO CONNECT TO DUCTED AIR

EASY RECONFIGURATION
Easy reconfiguration and relocation

MEDI POD OPTION

Clean wall wipe down interior for optimal infection control



SOFT CLOSE WHEELCHAIR ACCESSIBLE SLIDING DOOR





SENSOR ACTIVATED LIGHTS

CIRCULAR AIRFLOW SYSTEM
Circular air intake system brings in
office air. Design stimulates draw
through and natural convection, while
dual ceiling mounted fans maximise air
exchange. Two air system models: standard two motor system or premium
integrated Phillips TM HEPA filter
system (optional)

INTEGRATED POWER
2 x GP and USB A & USB C, HDMI cabling and data (CAT6, CATa6, CAT7) All are ready made to attach and all have power access and panel configuration for attachment of wall mounted TV and

monitors


EASY ACCESS POWERWALL PANELS Allows your IT department to run and connect any cabling in walls and ceilings. The quick release panel system gives your team full flexibility


Optional lounges or sit-stand desks






Two Person ACOUSTIX Pod






TWO PERSON ACOUSTIX POD DIMENSIONS		
Booth Width (external)	2250 mm	
Booth Height (external)	2150 mm	
Booth Depth (external)	1270 mm	
Booth Width (internal)	2080 mm	
Booth Height (internal)	2020 mm	
Booth Depth (internal)	1150 mm	
Door Width	880 mm	
Door Height	2020 mm	


Four Person ACOUSTIX Pod






FOUR PERSON ACOUSTIX POD DIMENSIONS		
Booth Width (external)	2250 mm	
Booth Height (external)	2150 mm	
Booth Depth (external)	2430 mm	
Booth Width (internal)	2080 mm	
Booth Height (internal)	2020 mm	
Booth Depth (internal)	2300 mm	
Door Width	880 mm	
Door Height	2020 mm	

Six Person ACOUSTIX Pod





SIX PERSON ACOUSTIX POD DIMENSIONS		
Booth Width (external)	2250 mm	
Booth Height (external)	2150 mm	
Booth Depth (external)	3630 mm	
Booth Width (internal)	2080 mm	
Booth Height (internal)	2020 mm	
Booth Depth (internal)	3500 mm	
Door Width	880 mm	
Door Height	2020 mm	

The ACOUSTIX Pod is the only genuine Australian made, wheelchair and fire sprinkler accessible booth solution. Custom sizing is available.

The ACOUSTIX MEDI Pod range features easy wipe down internal surfaces for infection control. This range similarly comes in two, four and six person options. Custom sizing is available to suit all hospital and medical application needs.







the experts in ergonomics

111 Margaret Street, Brisbane, QLD 4000

15 Queen Street, Melbourne, VIC 3000

74 Yass Road, Queanbeyan, (ACT) 2620

58 Raphael Sreet, Winnellie, NT 0820

16 Unley Road, Unley, SA 5062

10 Lampton Avenue, Derwent Park, TAS 7009

Unit 4, 2 Southridge Street, Eastern Creek, NSW 2766

Level 10, 387 George Street, Sydney, NSW 2000

1300 003 339 sales@gregorychairs.com.au www.gregorychairs.com.au

Find out more here https://gregorychairs.com.au/acoustix/



